## 3407 - 'Royale' Exposed Thermostatic Shower

Part#

42

43

44

45

46

47

48 49

50

51

52

53

54

55

56

57

58

Description

½ Turn Ceramic Cartridge - Ecobrass

Finished Screw

Bell Escutcheon

Handle Stem

Cross Handle Washer

Handle Screw

Finished Insert Holder

Black Logo Insert

Valve Connectors

Rubber O-Ring

1/2 - 3/4 Connector M-M

3/4-16 Finished Nuts

3/4" Washer

<sup>3</sup>/<sub>4</sub>" – <sup>1</sup>/<sub>2</sub>" Adapter M-M 1" X 1" Socket Adapter

Escutcheon 3/4"

Ī	11"	12 1	1/2"
7 1/2"	1		7
			Ø 7 7/8"
Ø 2 7/8"	51 3/4" Max.	Sli	ding Flange
Til	51.	3 1/8" min. / Ø 3/4"	3 1/2" max. (3/8" inch break
			•
	OHOTE 10 5/8"	5 3/4"	
	Ø 3 1/2" J		18 3/4"
8	6 7/8" 3/4"		
	Integrated Valves	Val Bo	ve for adjustable dy Sprays
6 1/2	10.50		


			<i>5</i> 0	Liscutcheon /4
Technical Information	Part#	Description	59	<sup>3</sup> / <sub>4</sub> " Washer
1 comment information	01	Mounting Screw	60	Thermostat Main Body Finished Dial Plate
• Return into wall elbow for use with body	01	Kit	61	
sprays. (Body sprays not included.)	02	Wall Mount Plate	62	Thermostat Stop Plate
• 8" rose.	02		63	Square Tube
<ul><li>Personal hand shower maximum flow rate</li></ul>		Set Screw	64	Swivel Bushing
is 1.8 GPM.	04	Coil	65	Finished Scold Stop Kit
	05	½" Washer	66	Valve Connector
• 8" shower head maximum flow rate is 1.8	11	5' Hand Spray Hose	71	Valve Button
GPM.	16	½" Washer	72	Integral Stop
• Flow rates are based on use of <sup>3</sup> / <sub>4</sub> " supply	17	Hand Spray Elbow	73	Bell Escutcheon &
lines and will vary depending on water	18	White Rubber Hand		Stem
pressure.		Shower Ring	74	Set Screw
<ul> <li>Uses Flühs ceramic volume control</li> </ul>	19	Ceramic Handle	75	Ball Joint
cartridges.	20	Top Knob	76	3/8" – ½" Connector
<ul> <li>Integral shutoff valves.</li> </ul>	21	Finished Washer	78	Slide Elbow
• 3/4" connections.	22	Shower Head Arm	79	Escutcheon
• 19 GPM @ 60 PSI (4 bars).	23	Head Swivel Kit	80	Elbow Assembly
<ul> <li>Available finishes are French Weathered</li> </ul>	30	Shower Head	81	Wall Flange
Brass (47), Polished Chrome (48),	31	Rubber O-Ring	90	Royale Finished
SoliBrass (49), Lacquered Matte Black	32	Shower Arm		Ceramic Insert Black
Nickel ( <b>50</b> ), Old Gold ( <b>52</b> ), Old Silver		Column		Logo
(53), Polished Brass (55), Polished Nickel	34	Washer	91	Complete Hand Shower
(56), Brushed Nickel (57), Satin Nickel	35	Finished Brass Nut		W/Ceramic Handle
(60), Antique Lacquered Copper (67),	36	Riser Pipe	92	Hand Spray Wall
Antique Lacquered Brass (68), Weathered	38	½" Washer		Mount Elbow
Brass (70), Lacquered Polished Black	39	Finished Mount	93	<sup>3</sup> / <sub>4</sub> " Thermostat
Nickel (71) and Lacquered Polished		Plate		Cartridge With
Copper (80).	40	½" Valve Body		Finished Cover Plate
<ul> <li>Please See Cleaning Instructions:</li> </ul>	41	Valve Body	94	Royale Hand Shower
http://herbeau.com/CleaningAll.pdf				Holder
For Finish Care and Maintenance				
Information.				
miomiation.				

## <u>Please follow example when ordering parts for 'Royale' Exposed</u> Thermostatic Shower

- To order part#46 Cross Handle
  - o <u>950064**xx**</u>
- Please substitute finish number needed in place of  $\underline{XX}$



## 3407 - 'Royale' Exposed Thermostatic Shower



Copyright©2017 Herbeau Creations. All rights reserved. All product and specifications are subject to change without notice. Herbeau Creations is not responsible for typographical and/or dimensional errors. Typographical errors are subject to correction.

## 3407 - 'Royale' Exposed Thermostatic Shower \*P/N 990236 FITS POST 9/2009 3407 MODELS ONLY \*P/N 930011 FITS ALL MODELS OF 3407 P/N 950057XX P/N 950269XX \*P/N = PART NUMBER 91 P/N 910035XX P/N 3262XX P/N 950226XX P/N 990486 -18 P/N 910034 P/N 920026 P/N 910020 P/N 950119XX-(23) P/N 970006 P/N 950227XX P/N 950230XX P/N 920027 (17)-P/N 950055XX P/N 910021 16 - P/N 910025 P/N 920032XX (11)-- P/N 950273XX -40-A-C P/N 960016 P/N 950115XX P/N 920027 P/N 950128XX P/N 920026 P/N 960022 P/N 920027 - 3 P/N 950174XX P/N 960016 (78)- P/N 950183XX P/N 950056XX P/N 990355 P/N 950184XX-(79) OR P/N 910037 P/N 990236 OR P/N 930011 P/N 920027 - 3 P/N 950062XX (90 P/N 920024XX P/N 920032XX P/N 910060 - P/N 950063XX - P/N 950064XX P/N 910025 - 16 P/N 950228XX P/N 950228XX P/N 970009 P/N 960066 P/N 950228XX P/N 950072XX P/N 950229XX P/N 920035 52-P/N 990036 P/N 950120XX (40)P/N 960066 P/N 950229XX -(41 P/N 950141XX P/N 910025 P/N 950230XX OR P/N 910037 P/N 950230XX -(53) (61) P/N 990064XX P/N 950273XX W P/N 930031XX P/N 950231XX P/N 910026 P/N 920064XX P/N 990064XX P/N P/N 960069 P/N 990236 P/N 960071-66 960072 OR P/N 930011 970009 P/N 960039 P/N 950106XX P/N 950228XX-(40) (65)P/N 910021 P/N 990036 50 - P/N 970009 P/N 910021 P/N 920029 P/N 990119XX P/N 950064XX P/N 990036 SIDE VIEW OF: (90 VALVE -P/N 990355 P/N 950064XX OR P/N 910037 P/N 950174XX P/N 950063XX P/N 950228XX ⊚®-P/N 950116XX P/N 950062XX P/N 950116XX Detail of valve P/N 950174XX P/N 950142XX -P/N 950239XX = FINISHED PARTS P/N 930028 XX = TWO DIGIT FINISH CODECopyright©2017 Herbeau Creations. All rights reserved. All product and specifications are subject to change without notice. Herbeau Creations is not responsible for typographical and/or dimensional errors. Typographical errors are subject to correction.